

# Santa Cruz Island Primary Restoration Plan

Final Environmental Impact Statement June 2002



National Park Service
U.S. Department of the Interior



Channel Islands National Park 1901 Spinnaker Drive Ventura, California 93001

# SANTA CRUZ ISLAND PRIMARY RESTORATION PLAN

### FINAL ENVIRONMENTAL IMPACT STATEMENT

Channel Islands National Park Santa Cruz Island - Santa Barbara County, California

#### **June 2002**

#### **Responsible Official**

John Reynolds, Regional Director Pacific West Region One Jackson Street 1111 Jackson Street Suite 700 Oakland, CA 94607

#### **Lead Agency:**

U.S. Department of Interior National Park Service

#### **For Further Information**

Attention: SCIPRP Tim Setnicka, Superintendent Channel Islands National Park 1901 Spinnaker Dr. Ventura, CA 93001

#### **Abstract**

This Final Environmental Impact Statement (FEIS) was prepared in accordance with the Department of the Interior National Environmental Policy Act (NEPA) regulations, and the National Park Service (NPS) NEPA guidelines (NPS-12). This environmental analysis has been prepared because actions proposed as part of this Final EIS may be a major federal action significantly affecting the quality of the human environment.

Channel Islands National Park, The Nature Conservancy and other natural and cultural resource experts have identified the impacts of non-native feral pigs and fennel invasion as the most significant perturbations affecting the sensitive natural and cultural resources on Santa Cruz Island. To address the degradation of these resources, Channel Islands National Park, in coordination with The Nature Conservancy, developed management actions that would eradicate feral pigs and control fennel on Santa Cruz Island.

The proposed management action (Alternative Four) to eradicate feral pigs consists of constructing six fenced management units of roughly 12,000 acres each. The pig proof fence will mostly follow existing and historical fence lines. Within these units, feral pigs will be eradicated, clearing one zone before moving to the next. It is estimated that it would take approximately one year to clear a management unit of pigs, therefore, island-wide eradication is estimated to take approximately six years to complete. Fennel control consists of reducing large stands of fennel through controlled, prescribed fire and two successive sprays of herbicide. Fennel control using these methods would only occur in areas of higher fennel density located on the isthmus, and will be based upon the successful Central Valley Fennel Removal Project. This protocol consists of burning large fennel stands to reduce standing biomass, followed by spraying with the herbicide Garlon 3A in low application rate of 1 lb Al/acre for two successive growing seasons to kill resprouts and new seedlings. Under the proposed action, there would be some short-term impacts to native flora, fauna, soils, waters, cultural resources, and human uses due to the activities associated with fennel control and feral pig eradication. However, following fennel control and eradication of feral pigs from a given zone, protection of irreplaceable island resources would be immediate.

Three additional alternatives to the proposed action were developed and evaluated. Alternative One (No Action) would not implement pig eradication or extensive fennel control. Alternative Two would attempt to eradicate pigs without fencing the island into management units and would treat fennel control the same as the proposed action. Alternative Three would eradicate pigs on NPS-owned lands, but allow pigs on TNC-owned lands, controlling their destructive actions by excluding them from sensitive resources through fencing. For each alternative action, the Park analyzed the potential environmental impacts that would likely occur. Environmental impacts were divided into the following categories: Native Plant Communities, Rare and Listed Plants, Non-native Plants, Native Island Fauna, Non-native Island Fauna, Soil and Water Resources, Cultural Resources, and Human Uses.

No sooner than 30 (thirty) days after the Final EIS Notice of Availability appears in the Federal Register, a Record of Decision (ROD) will be executed. John Reynolds, Regional Director, Pacific West Region, is responsible for the final decision. Tim Setnicka, Superintendent, Channel Islands National Park, is responsible for plan implementation and monitoring activities.

# SANTA CRUZ ISLAND PRIMARY RESTORATION PLAN

# SUMMARY OF THE FINAL ENVIRONMENTAL IMPACT STATEMENT

#### Introduction

Santa Cruz Island, the largest of the Channel Islands off the coast of Southern California, is home to a variety of wildlife including a significant number of plants and animals that can be found nowhere else in the world. Nine of its plants are listed as endangered or threatened under the Endangered Species Act. It is this uniqueness that makes Santa Cruz Island a bastion of biological diversity. An estimated 3,000 archeological sites associated with the Chumash culture are located on Santa Cruz Island. Ninety percent of the island is listed in the National Register of Historic Places (NRHP) for its archeological significance. Channel Islands National Park was established to protect and restore these nationally significant resources.

Non-native, species introduced to the island throughout the last 200 years have caused extensive damage to the island's rich resources. Without aggressive management actions to reverse the tide of degradation caused by the exotics, the island's rare biological and archeological resources are in danger of being lost forever.

This primary restoration plan proposes actions to: 1) eradicate non-native feral pigs; 2) reduce the spread and presence of fennel (*Foeniculum vulgare*), a weed that has aggressively spread and taken over a large area on the isthmus of Santa Cruz Island; 3) promote the conservation and recovery of rare species of plants and animals and the habitats on which they depend; and 4) eliminate disturbance and degradation of extensive archeological resources.

### Description of the Alternatives

The proposed action, Alternative Four, would reduce ecosystem and archeological site disturbance and promote species recovery by implementing a six-year pig eradication program. The program includes fencing the island into six hunting units and sequentially eradicating pigs unit by unit until pigs are totally removed from the island. To assist pig eradication, large stands of fennel on the island's isthmus would be treated. Controlling fennel involves burning the stand in the fall then applying herbicide the next to springs following the burn.

Approximately 45 miles of fence would be constructed. The fence would be located mostly along existing fence lines resulting in the island being divided into five management units of roughly 12,000 acres each, and one unit of approximately 3,000 acres. Within these units, feral pigs would be eradicated.

Priority for early hunting would be given to units that have thick vegetation, causing the unit to become increasingly difficult to hunt. Fennel treatment would be focused in areas of high fennel density that would inhibit pig removal efforts, and would be based upon the successful Central Valley Fennel Removal Project (co-funded by The Nature Conservancy and the Mellon Foundation). This protocol consists of burning large, monoculture stands of fennel to reduce standing biomass, followed by treatment with the herbicide Garlon 3A in low application rates of 1 lb AI/acre for two successive growing seasons to kill resprouts and new seedlings.

	Alternative One	Alternative Two	Alternative Three	Alternative Four
Alternative Features	No Action	Simultaneous Island-Wide Eradication of Pigs	Eradicate Pigs from ESCI/ Exclude Pigs from Selected Sensitive Resources on C/WSCI	Sequential Island- Wide Eradication by Fenced Zone Hunting
Pig Eradication Strategy	No Eradication Strategy would be implemented	Hunt all areas simultaneously until all pigs are eradicated	Create two pig zones: eradicate pigs in NPS zone; exclude pigs from selected resources on TNC property	Trap and hunt pigs by zone until all pigs are eradicated
Miles of Fence Construction	None	None	~10	~45
Duration of Project	0	2 years of eradication, 5 years inspect and monitor	2 years of eradication, exclude forever	6 years of eradication, 5 years inspect and monitor
Fennel Control	None	Prior to pig eradication - Burn fennel in the fall; aerially spray with herbicide two consecutive springs	Same as Alt. Two	Same as Alt. Two

#### Alternatives Considered and Rejected

#### Dismissed Alternatives and Techniques for Feral Pig Eradication

- Live capture of feral pigs and relocation to the mainland
- Use of poison
- Use of snares
- Use of contraceptives or sterilization
- Public hunting
- Introduction of swine diseases

#### Dismissed Alternatives for Fennel Control

- Mechanical Fennel Control Only (No Prescribed Burn or Herbicide Application)
- Mechanical Fennel Control and Hand Application of Herbicide (No Aerial Spraying)
- Prescribed Burn Fennel Control and Hand Application of Herbicide(No aerial Spraying)

#### Summary of Environmental Impacts

For each alternative action, the Park analyzed the potential environmental impacts that would likely occur. Environmental impacts were divided into the following categories: Native Plant Communities, Rare and Listed Plants, Non-native Plants, Native Island Fauna, Non-native Island Fauna, Soil and Water Resources, Cultural Resources, and Human Uses.

The Proposed Action is Alternative Four: Sequential, Island-wide Eradication by Zone Hunting. Under this alternative there would be some short-term impacts to native flora, fauna, soils, waters, cultural resources, and human uses due to the activities associated with fennel control and feral pig eradication. However, following fennel control and eradication of feral pigs from a given zone, protection of irreplaceable island resources would be immediate.

#### Native Plant Communities

Alternative One - Fennel would continue to spread, aided by pig rooting. Pigs would continue to
cause impacts to vegetation through rooting, accelerated soil erosion, seed predation, carrying of
weed seeds, and creation of trails. Lack of regeneration of oaks would continue.

- Alternative Two Fennel burn would increase soil nutrients in the short term, and kill some native plants. Fire would stimulate seed germination of some native plants. Small patches of native plants and boundary areas may experience mortality due to herbicide effects. The control of fennel and eradication of feral pigs would have substantial positive long-term effects on native plant communities.
- Alternative Three Effects from fennel burn and herbicide application on NPS lands would be the same as Alternative Two. The control of fennel and eradication of feral pigs would have substantial and positive effects on native plant communities on approximately 24% of the island. On TNC land the island's native plant communities would be exposed to the feral pig impacts described in Alternative One. Lack of regeneration of oaks on TNC owned lands.
- Alternative Four The environmental consequences are similar to Alternative Two. The primary difference is that the project would take approximately four years longer to complete and there would be impacts from fence building and removal. Effects from fennel burn and herbicide application would be the same as Alternative Two. The control of fennel and eradication of feral pigs would have substantial long-term positive effects on native plant communities.

#### Threatened and Endangered Plants

- *Alternative One:* Feral pigs would continue to impact almost all known populations of listed plant species.
- Alternative Two: One listed plant species, Galium buxifolium, occurs on the isthmus where the dense fennel occurs. However, the Galium does not co-occur with the fennel. No burning or herbicide is planned for the coastal bluff habitat inhabited by the Galium and no effect is anticipated. The nine listed plant species and numerous rare plants should all benefit from the eradication of feral pigs.
- Alternative Three: Some protection would be afforded to rare and listed plant species due to fencing
  existing populations. However, sustained protection would be difficult due to the ability of pigs to
  break through fencing over time. Populations would not be able to recover to new habitats because of
  the continued presence of feral pigs.
- *Alternative Four:* Same as Alternative Two except that it would take approximately 4 more years to achieve the feral pig eradication.

#### Non-native Plants

- Alternative One: Non-native plants would continue to benefit from the ground disturbance activities
  of feral pigs. Fennel would continue to expand into native plant communities, and annual grasslands
  establishing dominance.
- Alternative Two: Fennel burn may enhance annual grasses. Fennel would be greatly decreased. Herbicide application would greatly reduce fennel and should reduce other non-native broad-leaved plants. Removal of pig disturbance would substantially reduce long-term establishment and spread of non-native plants.
- Alternative Three: Environmental consequences would be similar to Alternative One on TNC owned lands. To the extent that pigs can be excluded from the eastern 24% of the island, the environmental consequences there would be similar to Alternative Two.

• *Alternative Four:* Same as Alternative Two. Fence building and removal would likely create some bare ground and may increase weed spread into disturbed areas near fencelines.

#### Native Island Fauna

- Alternative One: Pigs would continue to directly and indirectly impact native wildlife through
  destruction of habitat, predation, competition for food, supporting enhanced populations of predators
  (such as ravens). Island foxes would face continued predation from non-native golden eagles.
- Alternative Two: There would be short-term effects on small animals due to the fennel burn. Elimination of dense fennel stands would cause changes in species composition in the long-term. Herbicide treatment is not expected to affect island fauna. Feral pig eradication would remove direct competition and predation on many island animal species. Native wildlife, such as mice, lizards and skunks would benefit. Island foxes would not face predation from non-native golden eagles nor competition for food by pigs.
- Alternative Three: On TNC owned lands effects would be similar as described under Alternative
  One. Native wildlife, such as mice, lizards, and snakes on the NPS owned lands would benefit
  (similar to Alternative Two) from the eradication of feral pigs in that area.
- *Alternative Four:* Same as Alternative Two, although approximately four more years would be needed to eradicate the feral pigs.

#### Non-native Island Fauna

- *Alternative One:* Pigs would remain abundant on the island. Pigs present a readily available food source adequate to support the continued nesting by non-native golden eagles. The golden eagles would continue to opportunistically prey on native island endemic species such as the island fox.
- *Alternative Two:* Removal of pigs would eliminate the primary prey base for golden eagles. Golden eagles would no longer be able to sustain resident populations on the island.
- *Alternative Three:* Effects from fennel burn and herbicide application same as Alternative Two.
- *Alternative Four:* Same as Alternative Two, although approximately 4 more years would be needed to eradicate the feral pigs.

#### Soil and Water

- Alternative One: Pig rooting and herbivory would continue to reduce plant cover and greatly increase soil disturbance and erosion.
- Alternative Two: Fennel burn and herbicide would standing biomass and could lead to small areas of bare soil and erosion. Eradication of feral pigs would greatly reduce soil disturbance, erosion, destruction of cryptobiotic crusts, and lessen soil erosion and stream sedimentation. Soil nutrient levels would increase in the short-term from the fennel burn and likely cause a flush in vegetation growth.
- *Alternative Three*: To the extent the NPS is successful keeping pigs from reinvading the eastern portion of the island, the environmental consequences in this area would be the same as Alternative

Two. However, for the remainder of the island (with the exception of selected fenced areas) the environmental consequences would be the same as Alternative One.

 Alternative Four: Same as Alternative Two, although approximately 4 more years would be needed to eradicate the feral pigs.

#### **Cultural Resources**

- Alternative One: Pigs would continue to destroy irreplaceable archeological sites and would degrade
  the scientific values of the Santa Cruz Island Archeological District.
- Alternative Two: The fennel burn could affect historical resources, such as fencelines. Fire lines in fennel could cause ground disturbance. The primary impactor of archeological sites, feral pigs, would be eliminated in approximately two years.
- Alternative Three: Most of the Santa Cruz Island Archeological District would continue to be
  impacted by feral pigs. To the extent that pigs are excluded from the eastern portion of the island and
  fenced out of selected sites on the remainder of the island, archeological sites in those areas would be
  protected.
- *Alternative Four:* Same as Alternative Two, although approximately four more years would be needed to eradicate the feral pigs.

#### Human uses

- Alternative One: Human uses would be largely unchanged. The aesthetics of visits to Santa Cruz Island would be lessened due to the reduction of native wildlife, reduction of plant cover, and destruction of archeological sites. The scientific value of the island would decrease. Pigs may occasionally be dangerous to people in certain situations. Visitors would continually encounter seasonal starvation of feral pigs.
- Alternative Two: Elimination of dense stands of fennel would improve the attractiveness of the isthmus for visitor use. Visitor use and access may be limited while hunting of feral pigs is active in selected areas. Eradication of pigs would improve island aesthetics, scientific values, and recreational opportunities.
- *Alternative Three*: Environmental effects would be similar to Alternative Two for most recreational uses. The scientific value of most of the island would decrease. Pigs may occasionally be dangerous to people in the central and western portions of the island.
- *Alternative Four:* Same as Alternative Two, although approximately four more years would be needed to eradicate the feral pigs.

#### Likelihood of Success

• Alternative One: Alternative One (No Action) would not allow the NPS to achieve its goals for conserving natural and cultural resources on Santa Cruz Island and restoring the natural ecosystems of the island. Nine plant species from Santa Cruz Island have been listed as threatened or endangered, and island foxes have declined precipitously in recent years, are indications of the destruction of native resources caused by feral pigs. Feral pigs have irreversibly damaged numerous archeological sites.

- Alternative Two: This is an excellent strategy for protecting island resources but would be very
  difficult to achieve because of the need to fund and support a very large operation over a short period
  of time. Funding and logistical realities substantially lessen the "Likelihood of Success" for this
  alternative.
- Alternative Three: This has a low "Likelihood of Success" because more than three-fourths of the island, containing extremely significant natural and cultural resources, would continue to be subjected to feral pig impacts. Additionally, it is expected that maintenance of a pig-proof fence across the island would be expensive and an exercise in futility. Pigs are very adept at breaking through fences. It is doubtful that park personnel, with all the demands and issues they face, could sustain in perpetuity the effort necessary to hold a fenceline. Once pigs breached the fence, even accomplishments on the eastern fourth of the island would be lost or would be extremely expensive and time consuming to recover.
- Alternative Four: This has the highest "Likelihood of Success" because it achieves the best balance of expeditiously and comprehensively protecting resources in a manner that the NPS is likely to be able to support financially and logistically. The longer time necessary to complete the project would allow more post-sheep removal vegetation recovery, increasing the difficulty of feral pig eradication.

#### Response to Comments

In total, 36 letters or e-mail correspondence were provided to the Park during the 60-day comment period for the Draft EIS. From this correspondence, the Park identified 66 substantive comments. Substantive comments are those that are not simple statements for or against the proposal, but rather those comments requiring additional explanation or analysis of data and those that debated facts or conclusions rendered in the Draft EIS. These comments were divided into 14 categories. In the "Response to Comments" section the Park provides responses to all 66 substantive comments received on the project.

**Draft EIS Commentator List** 

Government Agencies	Groups and Organizations	Individuals	Individuals
U.S. Environmental Protection Agency U.S. Fish and Wildlife Service U.S. Army Corps of Engineers	In Defense of Animals National Anti- Vivisection Society Santa Cruz Island Foundation Santa Barbara Audubon Society Catalina Island Conservancy	Betine Corimby Mrs. Phyllis E. Grame Jeanne E. Arnold Maureen Edwards Linda Saffell Helene Schwartz Dieter Wilken, Ph.D. Siobhán Gephart Dolores and David Ferraro	Ms. Gayle Harris Birk Pinky Jain Pan Larry L. Loeher, Ph.D. Allison Marie Memmo Geiger Brian Ehler Jennifer Graham Jeannette Ferro

Government Agencies	Groups and Organizations	Individuals	Individuals
	People for the Ethical Treatment of Animals California Native Plant Society Santa Barbara Museum of Natural History University of California, Davis California State University, Long Beach	Betty L. Jeppesen Diana Cora Joy M. Zakarian, M.P.H Andrea Heaton	Ms. Robin Betian Brian Ehler Jennifer Graham Jeannette Ferro

## **Comment Categories**

Category	General Comment Summary
Herbicide	Use of Garlon 3A
T&E Plants	Protection of T&E plants from herbicide application
Water Quality / Erosion	Water quality and use of herbicide/ Activities effect on WQ
Alternatives	Clarification or suggestion on alternatives
<b>Exotic Species</b>	Response of exotic species to fennel control program
<b>Cultural Resources</b>	Mitigation activities to protect cultural resource sites
Air Quality	Air Quality impacts from prescribed burn and eradication activities
Economic	Sport hunting of pigs/ Cost of pig eradication and fennel control
Purpose and Need	Purpose and Need
EIS Organization	Literature Cited
Effects Analysis	Clarification or comment on effects analysis
Island Fox	Effect of hunting dogs on the Island fox
Sterilization/ Ethical Treatment of Animals	Use of Gonex sterilant/ Ethical treatment of pigs
Access	Access restrictions for the public and researchers

#### NPS Response to the Two Most Common Comments

<u>Comment:</u> The Park needs to consider the use of Gonex, a sterilant, to eradicate pigs on Santa Cruz

Island

Response:

Gonex

Gonex is a chemical compound currently under development for use as an injectable sterilant for all mammals. It works by destroying the gonadotropin hormones secreted by the anterior pituitary gland. Those hormones are required for successful reproduction, and are the same in all mammals.

Gonex does not have Food and Drug Administration (FDA) approval and therefore cannot be used on this project. There is no indication that this drug would receive FDA approval in the near future. Even if Gonex were to gain FDA approval there is no indication that it would be a viable tool for feral pig eradication, since sterilants in general have proven ineffective for use in an eradication program.

#### Sterilization

Sterilants in general cannot be used for this project because: 1) use of a sterilant would require injecting and marking each pig on the island; and 2) they are unproven for an eradication program.

<u>Requires Injecting and Marking Each Pig on the Island</u>: The logistics of delivering the sterilant to all pigs on the island comprises an insurmountable obstacle. Because a certain percentage of pigs become trap shy (avoid traps), delivering injections to all pigs would be impossible. The annual effort required would exceed the capabilities of NPS and TNC. And unless treated animals were marked, it would be impossible to distinguish treated pigs from untreated pigs. There is no permanent marking for a feral animal that is not directly handled.

<u>Unproven for an Eradication Program</u>: Sterilants are unproven for any mammal eradication program. Use of any sterilant on Santa Cruz Island feral pigs would be a waste of money and would not achieve the purpose of this plan, which is to eradicate feral pigs island-wide. Use of any sterilant would, at best, control pig populations for the period of time that teams of hunters would be funded, and certainly could not eradicate them. Short-term control of the pig population is not acceptable, because pigs would quickly multiply and continue to impact natural and cultural resources.

<u>Comment</u>: The Park needs to consider a more humane method to deal with the pigs on Santa Cruz Island.

Response:

#### **Humane Treatment**

The EIS did look into other methods of killing pigs, including snares, poison, and introduction of swine diseases. These methods were dismissed in part because they would not have the efficacy of a well-placed gunshot. These other methods could also inflict more pain and suffering to the pigs. In a report sponsored by the American Veterinarian Medical Association (2001) they indicate that an accurately delivered gunshot is an acceptable method of euthanasia. For wild or free-ranging species, a gunshot may be the most practical and logical method of euthanasia and has the advantage of minimizing stress induced by handling and human contact (AVMA 2001).

Annually, Park and TNC staff, as well as the visiting public, witness the starvation of pigs on the island. Park staff, especially those who work on the island, feel strongly that it is more humane to deal with pigs in the manner proposed in this EIS, versus having to witness the annual starvation that occurs to pigs on the island. The Park and TNC agree with the characterization of the humane treatment of pigs on Santa Cruz Island provided by Adrian M. Wenner, Professor emeritus, Department of Ecology, Evolution and Marine Biology UCSB:

"As a biologist, I have had extensive experience on the island and can report firsthand about the pig situation there. Feral pigs on the island number in the thousands. *In good years, they reproduce to their full ability and soon exceed their food source.* As they run out of easily obtainable food, such as acorns, they desperately plow up the ground in search of bulbs, roots and tubers, leaving the soil open to being washed away in future rains; and thereby exterminating native plants. They then eat nonnourishing grass as they starve. During the 1988 and 1989 droughts, for example, perhaps nine-tenths of the pigs died of starvation. But pigs don't starve immediately; as the weaker ones succumb, they get attacked and eaten by stronger pigs. At those times we could hear the squeals of pigs in such fights. By the end of 1989, nearly every pig I encountered was nothing more than a bag of bones that could hardly move. When they noticed us, they most often fell over as they tried to move. Even in good years feral pigs suffer. Last week we grabbed a piglet for examination. Dozens of black-legged ticks -- vectors of Lyme disease, fleas and lice lived on its soft underside. Island feral pigs, when they overpopulate, cannot migrate to greener pastures; they starve. Is it more humane to let these feral pigs continue their overpopulation, starvation and cannibalism or eliminate a few thousand from the island now, before untold thousands die in the future during such cycles?" (Wenner 2001)

# SANTA CRUZ ISLAND PRIMARY RESTORATION PLAN

## TABLE OF CONTENTS

FINAL EIS SUMMARY	II
Introduction	
DESCRIPTION OF THE ALTERNATIVES	
ALTERNATIVES CONSIDERED AND REJECTED.	
DISMISSED ALTERNATIVES AND TECHNIQUES FOR FERAL PIG ERADICATION	
DISMISSED ALTERNATIVES AND TECHNIQUES FOR TERAL FIG ERABICATION	
SUMMARY OF ENVIRONMENTAL IMPACTS	
Native Plant Communities	
Rare and Listed Plants	
Non-native Plants	
Native Island Fauna	Vl
Non-native Island Fauna	
Soil Water and air	
Cultural Resources	
Human uses	
RESPONSE TO COMMENTS	
Draft EIS Commentator List	
COMMENT CATEGORIES	
NPS RESPONSE TO THE TWO MOST COMMON COMMENTS	
CL OCC A DV	VII
GLOSSARY	XII
CHAPTER ONE - PURPOSE AND NEED	1
INTRODUCTIONINTRODUCTION	
OWNERSHIP	
GUIDANCE AND AUTHORITY FOR RESOURCE MANAGEMENT	
PURPOSE AND NEED	
Purpose	
	5
NEED FOR ACTION	
NEED FOR ACTIONRestoration of native plant communities	5
NEED FOR ACTIONRestoration of native plant communitiesProtection of listed plant species	5 5
NEED FOR ACTION  Restoration of native plant communities  Protection of listed plant species  Reduce spread of non-native weeds	5 5 6
NEED FOR ACTIONRestoration of native plant communitiesProtection of listed plant species	5 

SCOPE OF THE PROPOSED ACTION	7
DECISIONS TO BE MADE	8
CHAPTER TWO - ALTERNATIVES	9
Introduction	
ALTERNATIVE DEVELOPMENT PROCESS	
INTERNAL SCOPING AND PUBLIC INVOLVEMENT PROCESS	
SIGNIFICANT ENVIRONMENTAL ISSUES	
Issue 1: Likelihood of Success	
Issue 2: Impacts to Vegetation, including Weeds and Threatened and	10
Endangered Plant Species	10
Issue 3: Impacts to Island Fauna	10
Issue 4: Impacts to Physical Resources including Soils, Water and Air Quality	
Issue 5: Socioeconomic Impacts including Cultural Resources and Visitor Uses	11
MANDATORY TOPICS AND DISMISSAL OF ISSUES	11
ALTERNATIVES CONSIDERED IN DETAIL	13
FEATURES COMMON TO ALTERNATIVES 2-4	
Ecological Monitoring	
Fennel Management	
Fennel Control	
Fennel Manipulation	14
Non-lead Requirement	
ALTERNATIVES CONSIDERED IN DETAIL	
Alternative One - No Action	
Alternative Two – Simultaneous Island-wide Eradication of Pigs	
Phase I. Administration and Infrastructure Acquisition	
Phase II. Hunting	
Phase III: Final hunting	
Phase IV: Monitoring	1 /
Alternative Three - Eradicate Pigs on NPS Property; Exclude Pigs from Selected Sensitive Resources on TNC Property	17
Alternative Four – Sequential Island-Wide Eradication by Fenced Zone Hunting	,1 / 18
Phase I. Administration, Infrastructure, and Acquisition	18
Phase II. Fencing	19
Phase III. Hunting	19
Phase IV. Final Hunting and Monitoring	
ALTERNATIVES CONSIDERED BUT DISMISSED FROM DETAILED STUDY	21
DISMISSED ALTERNATIVES AND TECHNIQUES FOR FERAL PIG ERADICATION	21
Live capture of feral pigs and relocation to the mainland	
Use of Poison	
Use of Snares	
Use of Contraceptives or Sterilization	
Public hunting on NPS property	
Use of Swine Diseases	
DISMISSED ALTERNATIVES FOR FENNEL CONTROL	
Mechanical Fennel Control (Exclusive)	
Mechanical Fennel Control (hand application of herbicide)	
Prescribed Burn (hand application of herbicide)	
Preferred Alternatives	
ENVIRONMENTALLY PREFERRED ALTERNATIVE	
AGENCY PREFERRED ALTERNATIVE	
COMPARISON OF ALTERNATIVES	26

CHAPTER THREE - AFFECTED ENVIRONMENT	27
INTRODUCTION	
PHYSICAL ENVIRONMENT	
SETTING	
CLIMATE	
Precipitation and Temperature	
DROUGHT	
GEOLOGY	
Air Quality	
SOILS/WATER QUALITY	
Geology and its Relation to Soil Erosion	
Watershed Features	
Valley-bottom Characteristics	
Streamflow and Water Quality	
TERRESTRIAL ENVIRONMENT	
Introduction	
WILDLIFE	
Introduction	
Non-avian Vertebrates	
Landbirds	
Invertebrates	
Threatened or Endangered Animal Species	
Island Foxes	
Bald Eagles	
Brown Pelicans	
Snowy Plovers	
Non-Native Pigs	
Diseases of Feral Pigs	
NATIVE VEGETATION	
Introduction	
Coastal Bluff Scrub	
Grassland	
Island Chaparral	
Coastal Sage Scrub	
Southern Beach and Dune	
Riparian	45
Bishop pine woodland	46
Island Woodland	
Southern Coastal Oak Woodland	
Coastal Marsh and Estuary	
Vernal Pools	
Mule-fat Scrub	
Coyote-brush Scrub	
Fennel Dominated Aeas THREATENED AND ENDANGERED PLANT SPECIES	
Introduction	
Galium buxifolium	
Helianthemum greenei	
Dudleya nesiotica	
Arabis hoffmannii	
Berberis pinnata ssp. insularis	
Malacothamnus fasciculatus var. nesioticus	
Malacothrix indecora	52
Malacothrix squalida	
Thysanocarpus conchuliferus	
NON-NATIVE VEGETATION	
INTRODUCTION	53
VULNERABILITY OF ISLANDS	53

CURRENT SITUATION ON SANTA CRUZ ISLAND	53
Fennel	
History	
Biology	
Disturbance and Fennel	
CULTURAL RESOURCES	56
HISTORICAL OVERVIEW	
Cultural Resources	
Ethnographic Resources	
HUMAN USES AND VALUES	
SOCIOECONOMIC	
CHAPTER FOUR - ENVIRONMENTAL CONSEQUENCES	
INTRODUCTION	63
CONNECTED ACTIONS	
PAST, PRESENT, AND REASONABLY FORESEEABLE FUTURE ACTIVITIES	
Past Activities	64
Present Activities	
NPS	
TNC	
Future Activities	
GMP	65
Golden Eagle Removal and Bald Eagle Re-establishment	
Fox Recovery	
Control of Pigs on NPS Property	
TNC	
CHAPTER ORGANIZATION	
ALTERNATIVE ONE: NO ACTION	
ISSUE 1: LIKELIHOOD OF ACHIEVING SUCCESS	
Effects of Not Implementing Fennel Control	
Effects of Not Implementing Pig Eradication	
ISSUE 2: VEGETATION IMPACTS	
Native Communities	
Effects of Not Implementing Fennel Control.	
Effects of Not Implementing Pig Eradication	
Cumulative Effects	
Threatened and Endangered Plant Species	74
Effects of Not Implementing Fennel Control.  Effects of Not Implementing Pig Eradication	
Cumulative Effects	
Fennel	
Effects of Not Implementing Fennel Control or Pig Eradication	
Cumulative Effects	
Other Weeds	
Effects of Not Implementing Fennel Control.	
Effects of Not Implementing Pig Eradication	
Cumulative Effects	77
ISSUE 3: ISLAND FAUNA IMPACTS	78
Native Island Fauna	78
Effects of Not Implementing Fennel Control.	
Effects of Not Implementing Pig Eradication	
Cumulative Effects	
Non-native Fauna (Pigs)	
Effects of Not Implementing Fennel Control.	
Effects of Not Implementing Pig Eradication	
ISSUE 4: IMPACTS TO PHYSICAL RESOURCES INCLUDING SOILS, WATER AND AIR QUALITY	
Effects of Not Implementing Fennel Control.	80

	Effects of Not Implementing Pig Eradication	
	Cumulative Effects	
	SOCIOECONOMIC FACTORS INCLUDING CULTURAL RESOURCES AND HUMAN USES	
Cult	tural Resources	
	Effects of Not Implementing Fennel Control or Pig Eradication	
	Effects of Not Implementing Pig Eradication	81
	Cumulative Effects	
Hun	nan Uses	82
	Effects of Not Implementing Fennel Control.	82
	Effects of Not Implementing Pig Eradication	
ALTERNATI	VE TWO: SIMULTANEOUS ISLAND-WIDE ERADICATION OF PIGS	
	LIKELIHOOD OF ACHIEVING SUCCESS	
1330E 1.	Effects of Implementing Fennel Control	
	Effects of Implementing Pig Eradication	
Iggram 3.		
	VEGETATION IMPACTS	
Nati	ve Communities	
	Effects of Implementing Fennel Control	
	Effects of Implementing Pig Eradication	
	Cumulative Effects	
	Mitigation and Monitoring	89
Thr	eatened and Endangered Plant Species	90
	Effects of Implementing Fennel Control	
	Effects of Implementing Pig Eradication:	
	Cumulative Effects	
	Mitigation and Monitoring	
Fen	nel	92
	Effects of Implementing Fennel Control	
	Cumulative Effects	
	Mitigation and Monitoring.	94
Oth	er Weeds	94
	Effects of Implementing Fennel Control	94
	Effects of Implementing Pig Eradication	94
	Cumulative Effects	
	Mitigation and Monitoring.	94
ISSUE 3:	ISLAND FAUNA IMPACTS	95
Nati	ve Island Fauna	95
	Effects of Implementing Fennel Control	
	Effects of Implementing Pig Eradication	
	Cumulative Effects	98
	Mitigation	
Non	-native Fauna (Pigs)	
	Effects of Implementing Fennel Control	99
	Effects of Implementing Pig Eradication	
ISSUE 4.	IMPACTS TO PHYSICAL RESOURCES INCLUDING SOILS, WATER AND AIR QUALITY	
10002	Effects of Implementing Fennel Control (Alts Two-Four)	
	Effects of Implementing Pig Eradication	
	Cumulative Effects	
	Mitigation	
Icerie 5.	SOCIOECONOMIC FACTORS INCLUDING CULTURAL RESOURCES AND HUMAN USES	
	tural Resources	
Cui	Effects of Implementing Fennel Control	104
	Effects of Implementing Pig Eradication	104
	Mitigation	
II	nan Uses	
nun	Effects of Implementing Fennel Control	
	Mitigation	100
	Mitigation	110
A + mpps	Effects of Implementing Pig Eradication	110
	VE THREE: ERADICATE PIGS ON NPS PROPERTY;	
	IGS AND PROTECT SELECTED SENSITIVE RESOURCES ON TNC PROPERTY	
ISSUE 1:	LIKELIHOOD OF ACHIEVING SUCCESS	110

Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
ISSUE 2: VEGETATION IMPACTS	
Native Communities	
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
Cumulative Effects	111
Threatened and Endangered Plant Species	112
Effects of Implementing Fennel Control	112
Effects of Implementing Pig Eradication	
Cumulative Effects	113
Fennel	114
Effects of Implementing Fennel Control and Pig Eradication	
Cumulative Effects	114
Other Weeds	
Effects of Implementing Fennel Control	114
Effects of Implementing Pig Eradication	
Cumulative Effects	115
Mitigation and Monitoring	115
ISSUE 3: ISLAND FAUNA IMPACTS	115
Native Island Fauna	115
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	115
Cumulative Effects	
Mitigation	
Non-native Fauna (Pigs)	
Effects of Implementing Fennel Control	116
Effects of Implementing Pig Eradication	116
Cumulative Effects	
ISSUE 4: IMPACTS TO PHYSICAL RESOURCES INCLUDING SOILS, WATER AND AIR QUALITY	117
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
Cumulative Effects	
ISSUE 5: SOCIOECONOMIC FACTORS INCLUDING CULTURAL RESOURCES AND HUMAN USES	
Cultural Resources	
Effects of Implementing Fennel Control	118
Effects of Implementing Pig Eradication	
Cumulative Effects	
Mitigation	
Human Uses	
ALTERNATIVE FOUR: SEQUENTIAL, ISLAND-WIDE ERADICATION BY	
FENCED ZONE HUNTING	120
ISSUE 1: LIKELIHOOD OF ACHIEVING SUCCESS	0
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
ISSUE 2: VEGETATION IMPACTS	
Native Communities	
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication Activities	
Cumulative Impacts:	
Mitigation and Monitoring	
Threatened and Endangered Plant Species	
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
Cumulative Effects	
Mitigation and Monitoring	
Fennel	
Effects of Implementing Fennel Control (including fire and herbicide treatments)	
Effects of Implementing Pig Eradication	
Cumulative Effects	
Mitigation and Monitoring	125

Other Weeds	
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
Cumulative Effects	
Mitigation and Monitoring	
ISSUE 3: ISLAND FAUNA IMPACTS	
Native Island Fauna	
Effects of Implementing Fennel Control	
Cumulative Effects	
Non-native Fauna (Pigs)	
Effects of Implementing Fennel Control	
Effects of Implementing Pig Eradication	
ISSUE 4: IMPACTS TO PHYSICAL RESOURCES INCLUDING SOILS, WATER AND AIR QUALITY	
Effects of Implementing Fennel Control	128
Effects of Implementing Pig Eradication	129
Cumulative Effects	
Mitigation Alts Two-Four	
ISSUE 5: SOCIOECONOMIC FACTORS INCLUDING CULTURAL RESOURCES AND HUMAN USES	
Cultural Resources	
Effects of Implementing Fennel Control	
Section 106 Summary	
Human Uses	
IMPAIRMENT OF PARK RESOURCES OR VALUES	
IMPAIRMENT ANALYSIS BY ALTERNATIVE	
Alternative One – No Action	
Alternative Three	
Alternatives Two and Four	
SUSTAINABILITY AND LONG TERM MANAGEMENT	. 134
THE RELATIONSHIP BETWEEN LOCAL SHORT-TERM USES OF THE ENVIRONMENT AND THE	
MAINTENANCE AND ENHANCEMENT OF LONG-TERM PRODUCTIVITY	134
IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF RESOURCES	134
ADVERSE IMPACTS THAT CANNOT BE AVOIDED SHOULD THE ACTION BE IMPLEMENTED	135
SUMMARY OF IMPACTS BY ALTERNATIVE	135
HAPTER FIVE - CONSULTATION AND COORDINATION	. 141
PUBLIC INVOLVEMENT	
INTERNAL SCOPING AND PUBLIC INVOLVEMENT PROCESS	
INTERNAL SCOPING.	
EXTERNAL SCOPING	
Scoping Letter	
Public MeetingsPresentations	
Website	
Direct Communication	
NOTIFICATION AND DISTRIBUTION OF DRAFT EIS	
Notification	
Federal Register	
Press Release	
Legal Notice	
Website	
DRAFT EIS LIST OF RECIPIENTS	
Government	
Organizations and Businesses	
Individuals	

LIST OF PREPARERS	145
RESPONSE TO COMMENTS ON DRAFT EIS	
CHAPTER SIX - RESPONSE TO COMMENTS	147
INTRODUCTION	
COMMENTATOR SUMMARY	
COMMENT LETTERS	
RESPONSE TO COMMENTS	177
REFERENCES	187
INDEX	201
APPENDICES	205
SUMMARY T&E PLANT BIOLOGICAL ASSESSMENT	